

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking


- **1.1 Product identifier**
- **Trade name:** Nail Lacquer
- **Other product identifiers:** No other identifiers
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture:** Personal care product.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Forsythe Cosmetic Group, Ltd.  
10 Niagara Avenue  
Freeport, NY 11520  
Phone: 800-221-8080
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)



## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).  
Flam. Liq. 2 H225 Highly flammable liquid and vapour.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.

---

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
This product is a cosmetic product and is exempt from the Globally Harmonized System (GHS) labelling requirements below per (EC) No 1272/2008 Article 1: 5.(c) and 29CFR1910.1200(b)(5)(iii).
- **Hazard pictograms**
- 

GHS02 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
n-butyl acetate  
ethyl acetate  
propan-2-ol
- **Hazard statements**  
H225 Highly flammable liquid and vapour.

(Cont'd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

**Trade name: Nail Lacquer**

(Cont'd. from page 1)

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**Precautionary statements**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing vapours.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear eye protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use foam, powder, or carbon dioxide for extinction.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**





Can become highly flammable in use.

· **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

**Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components:**

CAS: 123-86-4 EINECS: 204-658-1 Index number: 607-025-00-1 Reg.nr.: 01-2119485493-29-XXXX	n-butyl acetate  Flam. Liq. 3, H226  STOT SE 3, H336	20-40%
CAS: 141-78-6 EINECS: 205-500-4 Index number: 607-022-00-5 Reg.nr.: 01-2119475103-46-XXXX	ethyl acetate  Flam. Liq. 2, H225  Eye Irrit. 2, H319; STOT SE 3, H336	10-35%

(Cont'd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

**Trade name: Nail Lacquer**

(Cont'd. from page 2)

CAS: 9004-70-0 EC number: 618-392-2	Nitrocellulose, colloided, granular Expl. 1.1, H201	5-15%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-XXXX	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	5-10%

· **Additional information:** For the wording of the listed Hazard Statements refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Headache  
Dizziness  
Nausea  
Causes eye irritation.  
Slight irritant effect on skin and mucous membranes.  
Gastric or intestinal disorders.  
Disorientation

- **Hazards:** Vapours may cause drowsiness and dizziness.

### 4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- **Suitable extinguishing agents:**

Water haze or fog  
Foam  
Fire-extinguishing powder  
Carbon dioxide

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

**Trade name: Nail Lacquer**

(Cont'd. from page 3)

- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information:**  
Eliminate all ignition sources if safe to do so.  
Use large quantities of foam as it is partially destroyed by the product.  
Cool endangered receptacles with water fog or haze.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Use personal protective equipment as required.  
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.  
Ensure adequate ventilation  
Keep away from ignition sources.  
Protect from heat.
- **6.2 Environmental precautions**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **6.3 Methods and material for containment and cleaning up**  
Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).  
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Prevent formation of aerosols.  
Use only in well ventilated areas.  
Keep receptacles tightly sealed.  
Keep away from heat and direct sunlight.  
Keep out of reach of children.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.  
Emergency cooling must be available in case of nearby fire.  
Flammable gas-air mixtures may form in empty receptacles.

(Cont'd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

Trade name: Nail Lacquer

(Cont'd. from page 4)

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

### 123-86-4 n-butyl acetate

AGW (Germany)	Long-term value: 300 mg/m <sup>3</sup> , 62 ppm 2(I);AGS, Y
---------------	--

PEL (USA)	Long-term value: 710 mg/m <sup>3</sup> , 150 ppm
-----------	--

REL (USA)	Long-term value: 950 mg/m <sup>3</sup> , 200 ppm
-----------	--

TLV (USA)	Short-term value: 712 mg/m <sup>3</sup> , 150 ppm Long-term value: 238 mg/m <sup>3</sup> , 50 ppm
-----------	--

### 141-78-6 ethyl acetate

IOELV (EU)	Short-term value: 1468 mg/m <sup>3</sup> , 400 ppm Long-term value: 734 mg/m <sup>3</sup> , 200 ppm
------------	--

AGW (Germany)	Long-term value: 1500 mg/m <sup>3</sup> , 400 ppm 2(I);DFG, Y
---------------	--

PEL (USA)	Long-term value: 1400 mg/m <sup>3</sup> , 400 ppm
-----------	---

REL (USA)	Long-term value: 1400 mg/m <sup>3</sup> , 400 ppm
-----------	---

TLV (USA)	Long-term value: 1440 mg/m <sup>3</sup> , 400 ppm
-----------	---

### 67-63-0 propan-2-ol

AGW (Germany)	Long-term value: 500 mg/m <sup>3</sup> , 200 ppm 2(II);DFG, Y
---------------	--

PEL (USA)	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
-----------	--

REL (USA)	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
-----------	--

TLV (USA)	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm Long-term value: 492 mg/m <sup>3</sup> , 200 ppm BEI
-----------	--

- **DNELs:** No further relevant information available.

- **PNECs:** No further relevant information available.

(Cont'd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

**Trade name: Nail Lacquer**

(Cont'd. from page 5)

· **Ingredients with biological limit values:**

**67-63-0 propan-2-ol**

BGW (Germany)	25 mg/l Untersuchungsmaterial: Vollblut Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Aceton
	25 mg/l Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Aceton
BEI (USA)	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

· **Protection of hands:**

Gloves not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

· **Eye protection:**



Safety glasses

· **Body protection:** Protection may be required for spills.

· **Limitation and supervision of exposure into the environment:**

No further relevant information available.

· **Risk management measures:** No further relevant information available.

(Cont'd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

Trade name: Nail Lacquer

(Cont'd. from page 6)

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · Appearance

Form:	Liquid
Colour:	Various colours
Odour:	Solvent-like
Odour threshold:	Not determined.

pH-value:	Not determined.
Melting point/freezing point:	Not determined.
Initial boiling point and boiling range:	> 35°C (> 95 °F)

Flash point:	< 0°C (< 32 °F)
--------------	-----------------

Flammability (solid, gas):	Not applicable.
----------------------------	-----------------

Auto/Self-ignition temperature:	Not determined.
---------------------------------	-----------------

Decomposition temperature:	Not determined.
----------------------------	-----------------

Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
-----------------------	---

#### · Explosion limits

Lower:	1,2 Vol % (estimated)
Upper:	12,0 Vol % (estimated)

Vapour pressure:	Not determined.
------------------	-----------------

#### · Density:

Relative density:	0,919
Vapour density:	Not determined.
Evaporation rate:	Not determined.

#### · Solubility in / Miscibility with water:

Slightly soluble.

Partition coefficient: n-octanol/water:	Not determined.
---	-----------------

#### · Viscosity

Dynamic:	Not determined.
Kinematic:	Not determined.

#### · 9.2 Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

#### · 10.2 Chemical stability

##### · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Cont'd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

Trade name: Nail Lacquer

(Cont'd. from page 7)

- **10.3 Possibility of hazardous reactions**

Flammable liquid and vapour.

Toxic fumes may be released if heated above the decomposition point.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Reacts with acids, alkalis and oxidising agents.

Reacts with peroxides.

- **10.4 Conditions to avoid** Excessive heat.

- **10.5 Incompatible materials** Oxidisers

- **10.6 Hazardous decomposition products**

Carbon monoxide and carbon dioxide

Nitrogen oxides

Ammonia

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**

- **Acute toxicity:** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:** None.

- **Primary irritant effect**

- **Skin corrosion/irritation:** Slight irritant effect on skin and mucous membranes.

- **Serious eye damage/irritation:**

Causes serious eye irritation.

- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable routes of exposure:**

Eye contact.

Skin contact.

- **Repeated dose toxicity:** Repeated exposure may cause skin dryness or cracking.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

- **Carcinogenicity:** Based on available data, the classification criteria are not met.

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.

- **STOT-single exposure:**

May cause drowsiness or dizziness.

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

- **Aspiration hazard:** Based on available data, the classification criteria are not met.

(Cont'd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

Trade name: Nail Lacquer

(Cont'd. from page 8)

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability**  
The product is partially biodegradable. Significant residuals remain.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Smaller quantities can be disposed of with household waste.  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- |                                       |                               |
|---------------------------------------|-------------------------------|
| · <b>14.1 UN-Number</b>               |                               |
| · DOT, IATA                           | UN1263 (or ID8000)            |
| · ADR, IMDG                           | UN1263                        |
| · <b>14.2 UN proper shipping name</b> |                               |
| · DOT, IATA                           | Paint (or Consumer Commodity) |
| · ADR, IMDG                           | PAINT                         |

(Cont'd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

Trade name: Nail Lacquer

(Cont'd. from page 9)

## · 14.3 Transport hazard class(es)

### · DOT



· Class 3 Flammable liquids. (or 9 Miscellaneous)  
Flammable liquids.  
· Label 3

### · ADR



· Class 3 (F1) Flammable liquids.  
· Label 3

### · IMDG



· Class 3 Flammable liquids.  
· Label 3

### · IATA



· Class 3 Flammable liquids. (or 9 Miscellaneous)  
Flammable liquids.  
· Label 3 (or 9)

## · 14.4 Packing group

· DOT, ADR, IMDG, IATA II

## · 14.5 Environmental hazards:

· Marine pollutant: No

## · 14.6 Special precautions for user

Warning: Flammable liquids.

· Danger code (Kemler): 33

· EMS Number: F-E,S-E

## · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

(Cont'd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

Trade name: Nail Lacquer

(Cont'd. from page 10)

· **Transport/Additional information:**

· **DOT**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **ADR**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IMDG**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· **IATA**



Limited Quantity for packages less than 30 kg gross and inner packagings less than 0,5 L each / 1 L net.

## SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **United States (USA)**
- **SARA**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California):**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

(Cont'd. on page 12)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

Trade name: Nail Lacquer

(Cont'd. from page 11)

- **Carcinogenic Categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

- **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

- **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

- **National regulations:**

- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H201 Explosive; mass explosion hazard.  
 H225 Highly flammable liquid and vapour.  
 H226 Flammable liquid and vapour.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.

- **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bio-accumulable, Toxique  
 SVHC: Substances of Very High Concern  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: l'Institut national de recherche sur la sécurité et la santé au travail / National Institute for Occupational Safety (États-Unis)  
 OSHA: Occupational Safety & Health Administration  
 Expl. 1.1: Explosives – Division 1.1  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Flam. Liq. 3: Flammable liquids – Category 3  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Cont'd. on page 13)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA  
GHS

Printing date: 31 July 2017

Revision: 31 July 2017

**Trade name: Nail Lacquer**

(Cont'd. from page 12)

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com